Data Capture revision history

Version 7.1.6 10/30/2026
Corrected minor issues when exiting the sensor programming screens.

Version 7.1.5 12/15/2025
Data logging update rate now includes option for 30 minutes.
Server name can now only include alpha-numeric charactors to prevent errors writing to csv files from version 7.1.4.

Version 7.1.4 9/10/2025
Write data to a csv file for each sensor.

Version 7.1.3 8/27/2025
Minor improvement to database repair feature.

Version 7.1.2 6/16/2025
An updated version of Data Capture 6. This version has been updated to work with our TG Cloud (rev 5) app.

Version 6.0.18 12/10/2024
Added option to have alarm buzzer remain full on during an alarm condition. This option is in addition to pulsing and disabled options. This only applies to model VM605E rev 18 and above.

Version 6.0.16 12/9/2024
Minor improvements.

Version 6.0.14 9/27/2024
Minor improvements. Incorrect measurement units for humidity sensors displayed in sensor report.
Reduce size of database to increase speed.

Version 6.0.13 6/17/2024
Minor improvements. Incorrect measurement units for humidity sensors displayed in sensor report.

Version 6.0.12 3/4/2024
Added ability to resend the Fail to Communicate email after 30, 60, 90, 120 minutes if the unit continues to fail to communicate with Data Capture.

Version 6.0.11 8/8/2023
Minor improvement. Data Capture will now send an email every two hours to alert the user if Data Capture fails to communicate with a unit being monitored. Previous versions only sent one email.

Version 6.0.10 4/17/2023
Corrected issue with version .9 when adding the name and comments to the Hi-Low Report.

Version 6.0.9 4/10/2023
Added two fields to allow user to enter their name and comments to the Hi-Low report.

Version 6.0.8 10/27/2022
The sending of an alert email whenever the Data Capture Windows service starts or stops can now be enabled/disabled.

Corrected an issue with the monthly sensor report.

Version 6.0.7 6/20/2022
Corrected error when creating Monthly Sensor report. Error occurred when switching between printers.

Version 6.0.6 6/13/2022
Added comment field to reports

Data Capture revision history

Version 7.1.6 10/30/2026
Corrected minor issues when exiting the sensor programming screens.

Version 7.1.5 12/15/2025
Data logging update rate now includes option for 30 minutes.
Server name can now only include alpha-numeric charactors to prevent errors writing to csv files from version 7.1.4.

Version 6.0.5
Added option to send status email every 2 hours as well as every 24 hrs.
Increased number of columns to Raw Sensor Data report to save paper.

Version 6.0.4
Updated SMTP security options

Version 6.0.3 10/18/2021
Updated Raw Sensor Data report to include the name of the sensor in the header. Also changed the font color of the data if out of limits; green if below the lower limit, red if above the upper limit.

Version 6.0.2 9/22/2021
Added ability to program eight cell phone numbers for CM705E rev 19 and above.

Version 6.0.1 4/1/2021
Added function to update the time/date chip on all programmed units. This is great for updating for Day Light Savings.

Version 6.0.1 3/10/2021
The big change is writing sensor data to it's own individual database ie. tblSensorDataID_xxx.fic. This was done to speed up reports.

Added ability to disable email reminder


Version 5.4.10
Added query return all sensor data for each unit to add these reading to the daily status email.

Added ability to add contact name for each phone number. This is a feature requested by a customer.

Version 5.4.10 1/30/2020
Added support for M408/M409 CO2 monitor.

Version 5.4.10 11/3/2020
Corrected code for downloading log for model VM608E.

Version 5.4.10 10/21/2020
Added code to show IP address in Temperature Guard Units tree.



Data Capture revision history

Version 7.1.6 10/30/2026
Corrected minor issues when exiting the sensor programming screens.

Version 7.1.5 12/15/2025
Data logging update rate now includes option for 30 minutes.
Server name can now only include alpha-numeric charactors to prevent errors writing to csv files from version 7.1.4.


Version 5.4.9 9/22/2020
Corrected the units displayed in the Hi-Lo report for humidity sensor.
Increased font size on all menus.

Version 5.4.8 4/28/20
Added button to check and repair and re-index all database files.

Version 5.4.8 1/2020
Added button to delete unsent alarm emails to the configuration page.
Moved Save, log file buttons to menu bar.

Rev 5.4.7 Compiled and RELEASED 11/8/2019

A local hospital customer requested the ability to edit all unit email addresses at once.
Added menu item under Edit




Brings up below screen

Data Capture revision history

Version 7.1.6 10/30/2026
Corrected minor issues when exiting the sensor programming screens.

Version 7.1.5 12/15/2025
Data logging update rate now includes option for 30 minutes.
Server name can now only include alpha-numeric charactors to prevent errors writing to csv files from version 7.1.4.



Rev 5.4.6 10/28/2019
Customer requested the Alarm Email Reminder options include 5 minutes.
The available reminder times are changed depending on the update rate.